

GAP 4 Package genss

generic Schreier-Sims

0.95

Januar 2006

Max Neunhöffer
Felix Noeske

Max Neunhöffer — Email: max.neunhoeffer@math.rwth-aachen.de
— Homepage: <http://www.math.rwth-aachen.de/~Max.Neunhoeffer>
— Address: Lehrstuhl D für Mathematik, RWTH Aachen, Templer-
graben 64, 52062 Aachen, Germany

Felix Noeske — Email: felix.noeske@math.rwth-aachen.de
— Homepage: <http://www.math.rwth-aachen.de/~Felix.Noeske>
— Address: Lehrstuhl D für Mathematik, RWTH Aachen, Templer-
graben 64, 52062 Aachen, Germany

Copyright

© 2006 by Max Neunhöffer and Felix Noeske

This package may be distributed under the terms and conditions of the GNU Public License Version 2 or higher.

Contents

1	Introduction	4
1.1	Philosophy	4
1.2	Overview over this manual	4
2	Installation of the genss-Package	5
3	Examples	6

Chapter 1

Introduction

1.1 Philosophy

This package is about nothing. To be written further.

1.2 Overview over this manual

Chapter 2 describes the installation of this package. *More text on other chapters to be written.*

Finally, Chapter 3 shows instructive examples for the usage of this package.

Chapter 2

Installation of the genss-Package

To install this package just extract the package's archive file to the GAP `pkg` directory.

By default the `genss` package is not automatically loaded by GAP when it is installed. You must load the package with `LoadPackage("genss")` ; before its functions become available.

Please, send us an e-mail if you have any questions, remarks, suggestions, etc. concerning this package. Also, I would like to hear about applications of this package.

Max Neunhöffer and Felix Noeske

Chapter 3

Examples

Here comes text.

References

Index

genss, [5](#)